

OXYBRITE SB 1.5

Sulfur-bearing solids remediation & odor control

SULFUR SOLIDS REMOVAL

OXYBRITE SB 1.5 is a stabilized, pH-adjusted 0.5% active hydrogen peroxide-based product designed for remediation of sulfur-bearing solids and odor problems by direct oxidation without severe corrosion issues or excessive gas production or decomposition.

FEATURES AND BENEFITS

- pH-adjusted
- Low concentration of active ingredients
- Available at higher active concentrations
- High pH-adjustment accelerates reaction time
- Dilute concentration reduces gas production and dramatic increases in temperature
- Non-hazardous and non-TDG regulated
- Spent solution requires no specialized handling procedures and can be sent directly for disposal

DIRECTIONS FOR USE

Conta

| Area of application | Interior of tanks or vessels such as non-regenerative scavenging units or towers containing sulfur-bearing solids and severe odor emissions. |
|--------------------------------|---|
| mination to be removed | Iron polysulfides, polythionic acids, iron sulfides, pyrophoric iron sulfides and sulfide/sulfur-related odors. |
| Use procedure | Use OXYBRITE SB 1.5 as directed by procedures. Not recommended for vapour phase injection. |
| Concentration | For optimum results, use undiluted as part of a full circulation procedure. |
| Use temperature | Ambient up to 40°C (104°CF). Do not exceed 40°C (104°CF). |
| Dwell time / Operation time | Dependent on job, site and method of application. Dwell time may vary from 30 minutes to 6 hours depending on depth of foulant and degree of contamination. |
| | |

OXYBRITE SB 1.5

Sulfur-bearing solids remediation & odor control

PHYSICAL PROPERTIES

| Appearance | Clear liquid | |
|-------------------------------------|----------------------------|--|
| Odour | Odorless | |
| Specific Gravity @ 20°C | 1.013 | |
| Viscosity | Thin | |
| рН | 9.5 | |
| Flash Point (TCC) | None | |
| Boiling Point | Approx. 100°C (212°F) | |
| Freezing Point | Approx. 0°C (32°F) | |
| Foaming Tendency | Nil | |
| Concentration Monitoring Techniques | Test strips, titration kit | |
| Rinsability | Excellent | |
| Water Solubility | Complete | |

INCOMPATIBILITY

Alkali and reducing materials

WAREHOUSING PRECAUTIONS

Store in original vented containers



FIRST AID MEASURES

EYE CONTACT

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

SKIN CONTACT

Wash with plenty of water. If skin irritation occurs, get medical advice/attention.

INHALATION

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if symptoms develop or persist. INGESTION

Rinse mouth. Remove person to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed by medical personnel. Call a POISON CENTER or doctor/physician if you feel unwell.

| HEALTH | 1 | |
|---|-----|--|
| FLAMMABILITY | 0 | |
| REACTIVITY | 0 | |
| LEGEND 0 = MINIMAL RISK 1 = SLIGHT RISK 2 = MODERATE RISK 3 = SERIOUS RISK 4 = SEVERE RISK | WHM | |



PERSONAL PROTECTION

IMPORTANT: Before using OXYBRITE SB 1.5, always be sure to read and follow precautions and directions for use appearing on the product container label and on the safety data sheet (S.D.S).

CLIFTON

125 Kingsland Avenue

Clifton, NJ 07014

Tel.: 201-567-3000



MONTREAL

10,900 Secant Street Anjou, OC H1J 1S5 Tel.: 514-355-4660 Toll free: 1-800-631-1652 Toll free: 1-800-361-8927 **FDMONTON**

11411-160 Street Edmonton, Alberta T5M 3T7 Tel.: 780-454-3919 Toll free: 1-866-454-3919

United States www.penetone.com

Canada www.westpenetone.com