



WEDAC®

Page: 1 of 7
Date Prepared: January 9, 2018
MSDS No.: 1824

SECTION 1: IDENTIFICATION

Product name: WEDAC

Recommended use: Cleaner, degreaser, metal brightener

Physical Description: Clear pink liquid with mild odor

Generic Ingredients: Water, phosphoric acid, glycol ether, and surfactant

Manufacturer:

Penetone Corporation
700 Gotham Parkway
Carlstadt, NJ 07072
800-631-1652 or 201-567-3000

Business Contact:

Customer Service
800-631-1652 x2602 or 2272
Product Safety
800-631-1652 x2211 or 2257

Emergency Phone Numbers: PENETONE 201-567-3000 CHEMTREC 800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

| | |
|--|---|
| <p>Health: Skin corrosion: 1B Eye damage: 1</p> | <p>Acute toxicity - oral: 4 Physical: Corrosive to metals: 1</p> |
|--|---|

DANGER!

Causes Severe Skin Burns and Eye Damage.
Harmful If Swallowed.
May Be Corrosive to Metals.



| | |
|--|--|
| Precautionary Statements: | |
| <p><u>Prevention:</u> Do not breathe mists if inhalable mists occur during use. Wear protective gloves, clothing, eye protection, and face protection. Do not eat, drink, or smoke when using this product. Wash hands and exposed skin thoroughly after handling. Keep only in original container.</p> <p><u>Response:</u> <i>If swallowed:</i> Rinse mouth. Do NOT induce vomiting. <i>If on skin or hair:</i> Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. <i>If in eyes:</i> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> | <p><i>If inhaled:</i> Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center, doctor, emergency room, or 911. Get medical advice/attention if you feel unwell. Absorb spillage to prevent material damage.</p> <p><u>Storage:</u> Stored locked up. Store in corrosive resistant container, plastic (HDPE) is recommended, or container with a resistant inner liner.</p> <p><u>Disposal:</u> Dispose of contents/container in accordance with local, regional, and national regulations (see Sections 13 and 15 of SDS for disposal and reporting requirements).</p> |

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS# | Concentration Wt% (1) |
|-----------------------------------|-------------|-----------------------|
| Phosphoric acid | 7664-38-2 | 45-60 |
| Water | 7732-18-5 | 30-40 |
| Ethoxylated nonylphenol | 127087-87-0 | 1-10 |
| Diethylene glycol monoethyl ether | 111-90-0 | 1-10 |

(1) Exact percentages being withheld under trade secret provision of OSHA HCS 1910.1200(i)



WEDAC®

Page: 2 of 7
Date Prepared: January 9, 2018
MSDS No.: 1824

SECTION 4: FIRST-AID MEASURES

General Description of Symptoms & First-Aid Measures

Most likely work-place exposure routes will be *skin contact* or *inhalation*.

For *skin contact*, typically no immediate effects will be observed. A tingling or burning sensation might be felt some time after exposure. Slight reddening or minor irritation could also develop if product is not quickly washed off. If product not washed off or left in contact with skin for some time, skin burn could result.

Inhalation exposure may produce varied effects, particularly if exposure occurs above the recommended workplace exposure limits (see SECTION 8). Typical symptoms could include coughing, sneezing, and a tingling or burning sensation in the nose, throat, and lungs.

Eyes

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a local Poison Control Center, doctor, physician or other competent medical authority for medical advice. Penetone recommends that after any eye exposure a physician be seen immediately.

Ingestion

If swallowed: Rinse mouth. DO NOT INDUCE VOMITING. Immediately call a poison center, doctor, physician or other competent medical authority for medical advice.

Inhalation

If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a local Poison Control Center, physician, or other competent medical authority for medical advice.

Skin

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. A mild soap may be used to wash skin. Wash contaminated clothing before reuse. Immediately call a local Poison Control Center, doctor, physician or other competent medical authority for medical advice.

Special Treatment / Other

None

SECTION 5: FIRE FIGHTING MEASURES

Flammable Properties

Classification: Non-flammable

Flash Point: None-to-boiling point (TCC, COC)

Autoignition Temperature: not applicable

Lower Flammable Limit: Not applicable **Upper Flammable Limit:** Not applicable

Specific Hazards

Product is water based and presents no unusual fire hazards. Product may react with chemically reactive metals such as aluminum, zinc, magnesium, copper, etc. to release hydrogen gas which can form explosive mixtures in air.

Extinguishing Media

Use extinguishing agents appropriate for controlling surrounding fire.

Unsuitable: None.

Protection & Precautions for Firefighters

Protective Equipment & Clothing: Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters protective clothing will only provide limited protection.

Fire Fighting Guidance: Cool containers with flooding quantities of water until well after fire is out. Move



SAFETY DATA SHEET

Penetone® Corporation, 700 Gotham Parkway, Carlstadt, NJ 07072

WEDAC®

Page: 3 of 7

Date Prepared: January 9, 2018

MSDS No.: 1824

containers from fire area if you can do it safely. Dike fire control water for later disposal; do not scatter material. Containers can expand and explode under fire conditions due to vapor buildup. Always stay away from containers engulfed in fire.

Hazardous Combustion Products: Smoke, fumes, and oxides of carbon and phosphorus when taken to dryness.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Land Spill

Absorb spillage to prevent material damage. Stop leak if you can do it safely. For large spills, dike and pump into properly labeled containers for reclamation or disposal. For small spill, soak up with absorbent material and place in properly labeled containers for disposal. Neutralize residue with dilute base and follow with a liberal covering of sodium bicarbonate or other acceptable drying agent.

Water Spill

This is a water based product and will completely mix/dissolve in water making recovery difficult. This product is acidic and will lower the pH of surface waters. Check with local environmental regulatory agencies for reporting requirements.

See SECTION 8 for EXPOSURE CONTROLS and PERSONAL PROTECTION.

SECTION 7: HANDLING & STORAGE

Handling

Avoid contact with eyes, skin and clothing. After handling, always wash hands thoroughly with soap and water. Avoid personal contact with any residue. Do not cut, weld, or reuse empty container.

Storage

Store locked up. Store in corrosive resistant container. Plastic is recommended. If storing in a metal container, it must be NON-ALUMINUM with a resistant inner liner (NOTE: flammable hydrogen gas may be generated if aluminum container and/or aluminum fittings are used). If secondary containers are used, plastic is recommended. Keep container tightly closed when not in use. Do not store near strong bases. Do not store in direct sunlight. Avoid storing above 120°F (49°C).

SECTION 8: EXPOSURE CONTROLS and PERSONAL PROTECTION

Engineering Controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

Personal Protection

Inhalation A respiratory protection program that meets OSHA's 29 CFR 1910.134 or ANSI Z88.2 requirements must be followed whenever workplace conditions warrant respirator use. Use of an organic vapor mask or respirator is recommended.

Skin Wear chemical resistant gloves such as: rubber, nitrile, neoprene, or latex when skin contact is possible. Protective clothing including gloves, apron, sleeves, boots, head and face protection should be worn depending on how the product is used. PPE should be cleaned thoroughly after each use.

Eyes Penetone recommends always wearing safety glasses as a minimum in any workplace. Conditions may warrant the use of chemical goggles and possibly a face shield. Consult your standard operating procedure or safety professional for advice. Use protective eye and face devices that comply with ANSI Z87.1-1987.



WEDAC®

Page: 4 of 7
Date Prepared: January 9, 2018
MSDS No.: 1824

Additional Remarks

Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.

Occupational Exposure Limits

| <u>Component Name</u> | <u>Source</u> | <u>Value</u> | <u>Type</u> | <u>Notation</u> |
|-----------------------|---------------|---------------------|-------------|-----------------|
| Phosphoric acid | ACGIH | 1 mg/m ³ | TWA | |
| | | 3 ppm | STEL | |
| | NIOSH | 1 mg/m ³ | TWA | |
| | | 3 ppm | STEL | |
| | OSHA Z1 | 1 mg/m ³ | TWA | |

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

Appearance: clear pink liquid
Odor: mild
Odor Threshold: not determined
pH: <1
Melting Point / Freezing: about 25°F
Boiling Point / Boiling Point Range: about 212°F
Flash Point: not applicable
Evaporation Rate: equal to water
Flammability: not applicable
Lower Flammable Limit: not applicable
Upper Flammable Limit: not applicable
Explosive Properties: not applicable
Vapor Pressure: equal to water
Relative Vapor Density: equal to water
Relative Density: 1.38
Solubility (Water): soluble in water
Partition Coefficient (K_{ow}): not determined
Auto-ignition temperature: not applicable
Decomposition temperature: not determined
Viscosity: 10-30 centipoise at room temperature

SECTION 10: STABILITY & REACTIVITY

Reactivity

Product will react with bases, giving off heat and potentially splattering.

Chemical Stability

Stable.

Hazardous Reactions

Mixing with bases will give off heat and may cause splattering. Will react with some metals forming flammable hydrogen gas (see below). Powdered form of these metals will greatly increase reactivity.

Conditions to Avoid

Do not store near strong bases.



WEDAC®

Page: 5 of 7
Date Prepared: January 9, 2018
MSDS No.: 1824

Incompatible Materials

Strong bases. Soft metals such as aluminum, brass, bronze, copper, lead, tin, zinc or other acid sensitive metals or alloys.

Hazardous Decomposition Products

Oxides of carbon and phosphorus when taken to dryness.

SECTION 11: TOXICOLOGICAL INFORMATION

Product Summary

This product contains phosphoric acid which is corrosive to all tissues. Contact with skin and/or eyes, ingestion, or inhalation of spray mist may be corrosive. Possible effects include severe irritation, burns, and permanent damage to exposed tissues if immediate action is not taken.

Acute Toxicity:

Dermal: LD50 > 2,000 mg/kg rabbit (estimated using additivity formula)

Inhalation: No data available

Oral: LD50 about 1,700 mg/kg rat (estimated using additivity formula)

Skin Corrosion/Irritation

Corrosive. Causes skin burns. Prolonged or repeat skin exposures can result in dermatitis.

Serious Eye Damage/Irritation

Corrosive. Causes serious eye damage which can result in severe irritation, pain and burns, and permanent damage including blindness.

Sensitization - Respiratory or Skin

Based upon components, product is not expected to be a respiratory or skin sensitizer.

Germ Cell Mutagenicity

Based upon components, product is not expected to result in germ cell mutagenicity.

Carcinogenicity

No material in this product is listed by IARC, NTP, or OSHA as a carcinogen.

Reproductive Toxicity

Insufficient data for the components to evaluate. Given the product's tissue corrosiveness, other more pronounced effects would be seen making evaluation of reproductive toxicity difficult.

Specific Target Organ Effects - Single Exposure

No data for the product.

Specific Target Organ Effects - Repeated or Prolonged Exposure

No data for the product.

Diethylene glycol butyl ether has had effects on the kidney, liver, and blood of lab animals at high feeding levels over extended periods of time.

Aspiration Hazard

Based upon available data, product not considered an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

Product Summary

This material is acidic and will lower the pH of surface waters. Product should be considered toxic to aquatic organisms. (Acute aquatic toxicity Category 3 by European Union classification).



WEDAC®

Page: 6 of 7
 Date Prepared: January 9, 2018
 MSDS No.: 1824

Ecotoxicity

Freshwater Fish: LC50 50-100 mg/l (estimated using additivity formula)
 Other aquatic organisms insufficient data to use additivity formula.

Persistence and Degradability

Phosphoric acid will dissociate into its ionic form in the aquatic environment. Natural carbon dioxide will slowly neutralize it. The organic materials in this product are all readily biodegradable.

Bioaccumulative Potential

Bioaccumulation potential of the materials used in this product are low.

Other Adverse Effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Product is a D002 Corrosive Hazardous Waste under RCRA definitions. Dispose of contents/container in accordance with all applicable federal, state, and local regulations.

Note: Contaminated product, soil, water, container residues and spill cleanup materials may be hazardous wastes. Appropriate hazardous waste designation is the responsibility of the user.

SECTION 14: TRANSPORT INFORMATION

ID No.: UN1805
Proper Shipping Name: PHOSPHORIC ACID, solution
Hazard Class: 8
Packing Group: II
Label: CORROSIVE
Marine Pollutant: No
RQ: 10,000 lbs (about 870 gallons) of product for phosphoric acid
Special Precautions: none

SECTION 15: REGULATORY INFORMATION

TSCA

The ingredients in this product are listed on the TSCA inventory.

RCRA HAZARD CLASS

D002 - Corrosive hazardous waste

SARA 311/312 REPORTABLE HAZARD CATEGORIES: Immediate (Acute) Health

REPORTING REQUIREMENTS (all quantities in pounds)

| Component | CAS / 313 Code | Section 302 (EHS) TPQ | Section 304 EHS RQ | CERCLA RQ (1) | Section 313 | CAA 112(r) TQ | CWA / OPA |
|-----------------|----------------|-----------------------|--------------------|---------------|-------------|---------------|-----------|
| Phosphoric acid | 7884-38-2 | | | 5,000 | 313 | | |



SAFETY DATA SHEET

Penetone® Corporation, 700 Gotham Parkway, Carlstadt, NJ 07072

WEDAC®

Page: 7 of 7
Date Prepared: January 9, 2018
MSDS No.: 1824

| | | | | | | | |
|---|------|--|--|-------------------|-----|--|--|
| Product RQ for component | | | | 10,000 870 gal | | | |
| Diethylene glycol methyl ether | N230 | | | (2) | 313 | | |
| (1) Releases exceeding the RQ just be reported to the National Response Center, 800-424-8802 and may be subject to state and local reporting. (2) CERCLA hazardous substance with no assigned RQ | | | | | | | |

NEW JERSEY RIGHT-TO-KNOW INFORMATION

This product contains water (CAS# 7732-18-5), phosphoric acid (CAS# 7664-38-2), diethylene glycol monoethyl ether (CAS# 111-90-0), and ethoxylated nonylphenol (CAS# 127087-87-0).

CALIFORNIA PROPOSITION 65 INFORMATION

This product does not contain any chemicals recognized by the state of California to cause cancer and/or birth defects or reproductive harm.

SCAQMD INFORMATION

Is there a photochemically reactive material present? No
What is the % by volume of photochemically reactive material? 0
What is the VOC content? About 15 g/l
What is the vapor pressure of VOC's? less than 1 mm Hg at 20°C

SECTION 16: OTHER INFORMATION

REVISION SUMMARY

Change in Section 3

SUPERSEDES ISSUE DATE

June 3, 2015

HAZARD RATING SYSTEMS:

| | <u>HMIS</u> | <u>NFPA</u> |
|--------------|-------------|-------------|
| HEALTH | 3 | 3 |
| FLAMMABILITY | 0 | 0 |
| REACTIVITY | 0 | 0 |
| | B | |

KEY
4 = Severe
3 = Serious
2 = Moderate
1 = Slight
0 = Minimal

FOR ADDITIONAL PRODUCT INFORMATION, CONTACT YOUR SALES ENGINEER
FOR ADDITIONAL HEALTH/SAFETY INFORMATION, CALL 201-567-3000

THE INFORMATION PRESENTED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE DEPENDABLE AND ACCURATE TO THE BEST OF PENETONE'S KNOWLEDGE. THE INFORMATION RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY ONESELF AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR HIS OWN PARTICULAR USE.