



STEAM KLEEN®

Page: 1 of 7
 Date Prepared: April 1, 2015
 MSDS No.: 1873

SECTION 1: IDENTIFICATION

Product name: STEAM KLEEN

Recommended use: General purpose degreaser and steam cleaner

Physical Description: Light amber liquid with mild odor

Generic Ingredients: Water, inorganic builders, surfactants, and chelate

Manufacturer:

Penetone Corporation
 700 Gotham Parkway
 Carlstadt, NJ 07072
 800-631-1652 or 201-567-3000

Business Contact:

Customer Service
 800-631-1652 x2602 or 2272
 Product Safety
 800-631-1652 x2211 or 2257

Emergency Phone Numbers: PENETONE 201-567-3000 CHEMTREC 800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Health: Skin irritation: 2 Eye irritation: 2A	Physical: not classified
--	------------------------------------

WARNING!

Causes Skin Irritation.
 Causes Serious Eye Irritation.



Precautionary Statements:	
<u>Prevention:</u> Wear protective gloves, clothing, eye protection, and face protection. Wash hands and exposed skin thoroughly after handling.	<u>Response:</u> <i>If on skin:</i> Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. <i>If in eyes:</i> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Concentration Wt% (1)
Water	7732-18-5	75-90
Potassium phosphate	7778-53-2	1-10
Sodium silicate	1344-09-8	1-10
Ethoxylated nonylphenol	127087-87-0	1-10
Potassium soap of rosin tall oil fatty acid	612790-44-1	1-10
Tetrasodium ethylenediamine tetraacetate	64-02-8	1-10
Potassium hydrogen phosphate	7758-11-4	1-10
Sodium xylene sulfonate	1300-72-7	1-10

(1) Exact percentages being withheld under trade secret provision of OSHA HCS 1910.1200(i)



STEAM KLEEN®

Page: 2 of 7
Date Prepared: April 1, 2015
MSDS No.: 1873

SECTION 4: FIRST-AID MEASURES

General Description of Symptoms & First-Aid Measures

Most likely work-place exposure routes will be *skin contact* or *inhalation*.

For *skin contact*, typically no immediate effects will be observed. A slight tingling sensation might be felt some time after exposure. Slight reddening or minor irritation could also develop if product is not quickly washed off.

Inhalation exposure may produce varied effects. Typical symptoms could include coughing, sneezing, and a tingling sensation in the nose, throat, and lungs.

Eyes

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists or develops: Get medical advice or attention. Penetone recommends that after any eye exposure a physician be seen immediately.

Ingestion

If swallowed: Rinse mouth. Call a poison center, doctor, physician or other competent medical authority if you feel unwell.

Inhalation

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center, doctor, physician or other competent medical authority if you feel unwell.

Skin

If on skin: Wash with plenty of water or a mild soap. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.

Special Treatment / Other

None

SECTION 5: FIRE FIGHTING MEASURES

Flammable Properties

Classification: Non-flammable

Flash Point: None-to-boil

Autoignition Temperature: Not applicable

Lower Flammable Limit: Not applicable **Upper Flammable Limit:** Not applicable

Specific Hazards

Product is water based and presents no unusual fire hazards.

Extinguishing Media

Use extinguishing agents appropriate for controlling surrounding fire.

Unsuitable: None.

Protection & Precautions for Firefighters

Protective Equipment & Clothing: Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters protective clothing will only provide limited protection.

Fire Fighting Guidance: Cool containers with flooding quantities of water until well after fire is out. Move containers from fire area if you can do it safely. Dike fire control water for later disposal; do not scatter material. Containers can expand and explode under fire conditions due to vapor buildup. Always stay away from containers engulfed in fire.



STEAM KLEEN®

Page: 3 of 7
Date Prepared: April 1, 2015
MSDS No.: 1873

Hazardous Combustion Products: Smoke, fumes, and oxides of carbon, nitrogen, and sulfur when taken to dryness.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Land Spill

Stop leak if you can do it safely. For large spills, dike and pump into properly labeled containers for reclamation or disposal. For small spill, soak up with absorbent material and place in properly labeled containers for disposal.

Water Spill

This is a water based product and will completely mix/dissolve in water making recovery difficult. Product is alkaline and may raise pH of waters with low buffering capacity. Check with local environmental regulatory agencies for reporting requirements.

See **SECTION 8 for EXPOSURE CONTROLS and PERSONAL PROTECTION.**

SECTION 7: HANDLING & STORAGE

Handling

Avoid contact with eyes, skin and clothing. After handling, always wash hands thoroughly with soap and water. Avoid personal contact with any residue. Do not cut, weld, or reuse empty container.

Storage

Keep container tightly closed when not in use. Do not store near strong acids or bases. Do not store in direct sunlight. Avoid storing above 120°F (49°C).

SECTION 8: EXPOSURE CONTROLS and PERSONAL PROTECTION

Engineering Controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

Personal Protection

Inhalation A respiratory protection program that meets OSHA's 29 CFR 1910.134 or ANSI Z88.2 requirements must be followed whenever workplace conditions warrant respirator use. Use of a general purpose particulate mask or respirator with particulate filter is recommended.

Skin Wear chemical resistant gloves such as: rubber, nitrile, neoprene, or latex when skin contact is possible. Protective clothing including gloves, apron, sleeves, boots, head and face protection should be worn depending on how the product is used. PPE should be cleaned thoroughly after each use.

Eyes Penetone recommends always wearing safety glasses as a minimum in any workplace. Conditions may warrant the use of chemical goggles and possibly a face shield. Consult your standard operating procedure or safety professional for advice. Use protective eye and face devices that comply with ANSI Z87.1-1987.

Additional Remarks

Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.

Occupational Exposure Limits

<u>Component Name</u>	<u>Source</u>	<u>Value</u>	<u>Type</u>	<u>Notation</u>
No OELs have been established for any of the components				



STEAM KLEEN®

Page: 4 of 7
Date Prepared: April 1, 2015
MSDS No.: 1873

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

Appearance: Light amber liquid
Odor: mild
Odor Threshold: not determined
pH: 11-11.5
Melting Point / Freezing: about 32°F
Boiling Point / Boiling Point Range: about 212°F
Flash Point: none to boil
Evaporation Rate: equal to water
Flammability: not applicable
Lower Flammable Limit: not applicable
Upper Flammable Limit: not applicable
Explosive Properties: not applicable
Vapor Pressure: equal to water
Relative Vapor Density: not applicable
Relative Density: 1.11
Solubility (Water): water soluble
Partition Coefficient (K_{ow}): not determined
Auto-ignition temperature: not applicable
Decomposition temperature: not determined
Viscosity: less than 5 centipoise at room temperature

SECTION 10: STABILITY & REACTIVITY

Reactivity

Product is not reactive, but if strong acids or bases are added, heat will be generated which could cause splattering.

Chemical Stability

Stable.

Hazardous Reactions

None.

Conditions to Avoid

Do not store near strong acids or bases.

Incompatible Materials

Strong acids or bases.

Hazardous Decomposition Products

Oxides of carbon, nitrogen, and sulfur when taken to dryness and burned.

SECTION 11: TOXICOLOGICAL INFORMATION

Product Summary

Based upon ingredient data, product is non-toxic by oral and dermal routes exposure. Based upon ingredient information, product is expected to cause skin irritation and to cause serious eye irritation.



STEAM KLEEN®

Page: 5 of 7
Date Prepared: April 1, 2015
MSDS No.: 1873

Acute Toxicity:

Dermal: > 10,000 mg/kg rabbit (estimated from additivity formula)

Inhalation: no data available

Oral: >10,000 mg/kg rat (estimated from additivity formula)

Skin Corrosion/Irritation

Causes skin irritation. Based upon component data.

Serious Eye Damage/Irritation

Causes serious eye irritation. Based upon component data.

Sensitization - Respiratory or Skin

Not expected to be a skin or respiratory sensitizer. Based upon component data.

Germ Cell Mutagenicity

No data available. Not expected to be mutagenic based upon partial component information and comparison to structurally similar compounds.

Carcinogenicity

Does not contain components considered carcinogenic.

Developmental/Reproductive Toxicity

No data available. Not expected to be a developmental or reproductive toxin based upon partial component information and comparison to structurally similar compounds.

The nonionic surfactant used in this product have produced effects in the fetus only at levels that were toxic to the parent animals.

Specific Target Organ Effects - Single Exposure

No data available.

Specific Target Organ Effects - Repeated or Prolonged Exposure

No data available.

Frequent ingestion over extended periods of time of gram quantities of sodium silicate are associated with kidney stone formation and other siliceous urinary calculi in humans.

Inorganic phosphates have been extensively studied because of their use as food additives. Very high oral doses (1% in the diet) have produced toxic effects on the kidneys and parathyroid glands.

The nonionic surfactant used in this product exhibited kidney and liver effects in lab animals at high feeding levels over extended periods of time.

Aspiration Hazard

Based upon components, product not expected to be aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

Product Summary

Product is expected to be harmful to toxic to fish and aquatic invertebrates. (Acute aquatic toxicity category 2-3 by European Union classification).

Ecotoxicity

LC50/EC50 about 10 mg/l (estimated using additivity formula)

Persistence and Degradability

Product components considered biodegradable.



STEAM KLEEN®

Page: 6 of 7
 Date Prepared: April 1, 2015
 MSDS No.: 1873

Bioaccumulative Potential

Product components not considered bioaccumulative

Mobility in soil

No soil mobility data available.

Other Adverse Effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Product is a nonhazardous waste under RCRA definitions. Dispose of contents/container in accordance with all applicable federal, state, and local regulations.

Note: Contaminated product, soil, water, container residues and spill cleanup materials may be hazardous wastes. Appropriate hazardous waste designation is the responsibility of the user.

SECTION 14: TRANSPORT INFORMATION

ID No.: None
Proper Shipping Name: Nonhazardous (nonregulated) material
Hazard Class: None
Packing Group: None
Label: None
Marine Pollutant: Not applicable
RQ: None
Special Precautions: None

SECTION 15: REGULATORY INFORMATION

TSCA

The ingredients in this product are listed on the TSCA inventory.

RCRA HAZARD CLASS

Nonhazardous waste

SARA 311/312 REPORTABLE HAZARD CATEGORIES: Immediate (Acute) Health

REPORTING REQUIREMENTS (all quantities in pounds)

Component	CAS / 313 Code	Section 302 (EHS) TPQ	Section 304 EHS RQ	CERCLA RQ	Section 313	CAA 112(r) TQ	CWA / OPA
no component is subject to reporting requirements							

NEW JERSEY RIGHT-TO-KNOW INFORMATION

This product contains water (CAS 7732-18-5), potassium phosphate (CAS# 7778-53-2), sodium silicate (CAS# 1344-09-8), ethoxylated nonylphenol (CAS# 127087-87-0), and potassium fatty acid soap (CAS# 61790-44-1).

CALIFORNIA PROPOSITION 65 INFORMATION

This product does not contain any chemicals recognized by the state of California to cause cancer and/or birth defects or reproductive harm.



STEAM KLEEN®

Page: 7 of 7
Date Prepared: April 1, 2015
MSDS No.: 1873

SCAQMD INFORMATION

Is there a photochemically reactive material present? No
What is the % by volume of photochemically reactive material? 0
What is the VOC content? 0
What is the vapor pressure of VOC's? Not applicable

SECTION 16: OTHER INFORMATION

REVISION SUMMARY

New GHS format

SUPERSEDES ISSUE DATE

February 11, 2004

HAZARD RATING SYSTEMS:

	<u>HMIS</u>	<u>NFPA</u>
HEALTH	1	1
FLAMMABILITY	0	0
REACTIVITY	0	0
	B	

KEY
4 = Severe
3 = Serious
2 = Moderate
1 = Slight
0 = Minimal

FOR ADDITIONAL PRODUCT INFORMATION, CONTACT YOUR SALES ENGINEER
FOR ADDITIONAL HEALTH/SAFETY INFORMATION, CALL 201-567-3000

THE INFORMATION PRESENTED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE DEPENDABLE AND ACCURATE TO THE BEST OF PENETONE'S KNOWLEDGE. THE INFORMATION RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY ONESELF AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR HIS OWN PARTICULAR USE.