

Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

PENBLITZ[™] 200H PG

Page: 1 of 7 Date Prepared: September 23, 2019 SDS No.: 1765

SECTION 1: IDENTIFICATION

Product name:PENBLITZ 200HRecommended use:General purpose cleanerPhyscial Description:Clear green slightly viscous liquid with mild pine odorGeneric Ingredients:Water, glycol, surfactants, fragrance, dyeManufacturer:Business Contact:Penetone CorporationCustomer Service125 Kingsland Ave.800-631-1652 x2602 or 2272Clifton, NJ 07014Product Safety800-631-1652 or 201-567-3000800-631-1652 x2211 or 2257

Emergency Phone Numbers: PENETONE 201-567-3000 CHEMTREC 800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Health: Skin irritation: 2 Eye irritation: 2A	Physical: not classified	
WARNING! Causes Skin Irritation. Causes Serious Eye Irritation.		

Precautionary Statements:	
 <u>Prevention:</u> Wear protective gloves, clothing, eye protection, and face protection. Wash hands and exposed skin thoroughly after handling. 	<u>Response:</u> If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Concentration Wt% (1)
Water	7732-18-5	80-95
Propylene glycol	57-55-6	5-15
Ethoxylated nonylphenol	127087-87-0	1-10
Sodium dodecylbenzenesulfonate	25155-30-0	1-10

(1) Exact percentages being withheld under trade secret provision of OHSA HCS 1910.1200(i)

SECTION 4: FIRST-AID MEASURES

General Description of Symptoms & First-Aid Measures

Most likely work-place exposure routes will be skin contact or inhalation.

For skin contact, typically no immediate effects will be observed. A slight tingling sensation might be felt some time



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

PENBLITZ[™] 200H PG

Page: 2 of 7 Date Prepared: September 23, 2019 SDS No.: 1765

after exposure. Slight reddening or minor irritation could also develop if product is not quickly washed off.

Inhalation exposure may produce varied effects. Typical symptoms could include coughing, sneezing, and a tingling sensation in the nose, throat, and lungs.

Eyes

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists or develops: Get medical advice or attention. Penetone recommends that after any eye exposure a physician be seen immediately.

Ingestion

If swallowed: Rinse mouth. Call a poison center, doctor, physician or other competent medical authority if you feel unwell.

Inhalation

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center, doctor, physician or other competent medical authority if you feel unwell.

Skin

If on skin: Wash with plenty of water or a mild soap. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.

Special Treatment / Other

None

SECTION 5: FIRE FIGHTING MEASURES

Flammable Properties

Classification: Non-flammable Flash Point: None-to-boil Autoignition Temperature: Not applicable Lower Flammable Limit: Not applicable Upper Flammable Limit: Not applicable

Specific Hazards

Product is water based and presents no unusual fire hazards.

Extinguishing Media

Use extinguishing agents appropriate for controlling surrounding fire.

Unsuitable: None.

Protection & Precautions for Firefighters

Protective Equipment & Clothing: Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters protective clothing will only provide limited protection.

Fire Fighting Guidance: Cool containers with flooding quantities of water until well after fire is out. Move containers from fire area if you can do it safely. Dike fire control water for later disposal; do not scatter material. Containers can expand and explode under fire conditions due to vapor buildup. Always stay away from containers engulfed in fire.

Hazardous Combustion Products: Smoke, fumes, and oxides of carbon and sulfur when taken to dryness and burned.



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

PENBLITZ[™] 200H PG

Page: 3 of 7 Date Prepared: September 23, 2019 SDS No.: 1765

SECTION 6: ACCIDENTAL RELEASE MEASURES

Land Spill

Stop leak if you can do it safely. For large spills, dike and pump into properly labeled containers for reclamation or disposal. For small spill, soak up with absorbent material and place in properly labeled containers for disposal.

Water Spill

This is a water based product and will completely mix/dissolve in water making recovery difficult. Check with local environmental regulatory agencies for reporting requirements.

See SECTION 8 for EXPOSURE CONTROLS and PERSONAL PROTECTION.

SECTION 7: HANDLING & STORAGE

Handling

Avoid contact with eyes, skin and clothing. After handling, always wash hands thoroughly with soap and water. Avoid personal contact with any residue. Do not cut, weld, or reuse empty container.

Storage

Keep container tightly closed when not in use. Do not store near strong acids or bases. Do not store in direct sunlight. Avoid storing above 120°F (49°C).

SECTION 8: EXPOSURE CONTROLS and PERSONAL PROTECTION

Engineering Controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

Personal Protection

<u>Inhalation</u> A respiratory protection program that meets OSHA's 29 CFR 1910.134 or ANSI Z88.2 requirements must be followed whenever workplace conditions warrant respirator use. Use of a general purpose particulate mask or respirator with particulate filter is recommended.

<u>Skin</u> Wear chemical resistant gloves such as: rubber, nitrile, neoprene, or latex when skin contact is possible. Protective clothing including gloves, apron, sleeves, boots, head and face protection should be worn depending on how the product is used. PPE should be cleaned thoroughly after each use.

<u>Eyes</u> Penetone recommends always wearing safety glasses as a minimum in any workplace. Conditions may warrant the use of chemical goggles and possibly a face shield. Consult your standard operating procedure or safety professional for advice. Use protective eye and face devices that comply with ANSI Z87.1-1987.

Additional Remarks

Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.

Occupational Exposure Limits

Component Name	Source	Value	Туре	Notation



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

PENBLITZ[™] 200H PG

Page: 4 of 7 Date Prepared: September 23, 2019 SDS No.: 1765

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

Appearance: clear green slightly viscous liquid Odor: mild pine Odor Threshold: not determined **pH:** 9.5 - 10 Melting Point / Freezing: about 25°F Boiling Point / Boiling Point Range: about 212°F Flash Point: none to boil Evaporation Rate: equal to water Flammability: not applicable Lower Flammable Limit: not applicable Upper Flammable Limit: not applicable Explosive Properties: not applicable Vapor Pressure: equal to water Relative Vapor Density: not applicable Relative Density: 1.02 Solubility (Water): water soluble Partition Coefficient (Kow): not determined Auto-ignition temperature: not applicable Decomposition temperature: not determined Viscosity: 50 to 200 centipoise at room temperature

SECTION 10: STABILITY & REACTIVITY

Reactivity

Product is not reactive, but if strong acids or bases are added, heat will be generated which could cause splattering.

Chemical Stability Stable.

Hazardous Reactions None.

Conditions to Avoid Do not store near strong acids or bases.

Incompatible Materials Strong acids or bases.

Hazardous Decomposition Products

Oxides of carbon and sulfur when taken to dryness and burned.

SECTION 11: TOXICOLOGICAL INFORMATION

Product Summary

Based upon ingredient data, product is non-toxic by oral and dermal routes exposure. Based upon ingredient information, product is expected to cause skin irritation and to cause serious eye irritation.



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

PENBLITZ[™] 200H PG

Page: 5 of 7 Date Prepared: September 23, 2019 SDS No.: 1765

Acute Toxicity:

Dermal: > 5,000 mg/kg rabbit (estimated from additivity formula) **Inhalation:** no data available **Oral:** > 5,000 mg/kg rat (estimated from additivity formula)

Skin Corrosion/Irritation

Causes skin irritation. Based upon component data.

Serious Eye Damage/Irritation

Causes serious eye irritation. Based upon component data.

Sensitization - Respiratory or Skin

Not expected to be a skin or respiratory sensitizer. Based upon component data.

Germ Cell Mutagenicity

No data available. Not expected to be mutagenic based upon component information.

Carcinogenicity

Does not contain components considered carcinogenic.

Developmental/Reproductive Toxicicty

No data available. Not expected to be a developmental or reproductive toxin based upon partial component information and comparison to structurally similar compounds.

The nonionic surfactant used in this product have produced effects in the fetus only at levels that were toxic to the parent animals.

Specific Target Organ Effects - Single Exposure

No data available.

Specific Target Organ Effects - Repeated or Prolonged Exposure

No data available.

The nonionic surfactant used in this product exhibited kidney and liver effects in lab animals at high feeding levels over extended periods of time.

Aspiration Hazard

Based upon components, product not expected to be aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

Product Summary

Product is expected to be harmful to fish and aquatic invertebrates. (Acute aquatic toxicity category 3 by European Union classification).

Ecotoxicity LC50/EC50 30-50 mg/l (estimated using additivity formula)

Persistence and Degradability

Product components considered biodegradable.

Bioaccumulative Potential

Product components not considered bioaccumulative

Mobility in soil

No soil mobility data available.



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

PENBLITZ[™] 200H PG

Page: 6 of 7 Date Prepared: September 23, 2019 SDS No.: 1765

Other Adverse Effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Product is a nonhazardous waste under RCRA definitions. Dispose of contents/container in accordance with all applicable federal, state, and local regulations.

<u>Note:</u> Contaminated product, soil, water, container residues and spill cleanup materials may be hazardous wastes. Appropriate hazardous waste designation is the responsibility of the user.

SECTION 14: TRANSPORT INFORMATION

None
Nonhazardous (nonregulated) material
None
None
None
Not applicable
None
None

SECTION 15: REGULATORY INFORMATION

TSCA

The ingredients in this product are listed on the TSCA inventory.

RCRA HAZARD CLASS

Nonhazardous waste

SARA 311/312 REPORTABLE HAZARD CATEGORIES: Immediate (Acute) Health

REPORTING REQUIREMENTS (all quantities in pounds)

Component	CAS / 313 Code	Section 302 (EHS) TPQ	Section 304 EHS RQ	CERCLA RQ	Section 313	CAA 112(r) TQ	CWA / OPA
no component is subject to reporting requirements							

NEW JERSEY RIGHT-TO-KNOW INFORMATION

This product contains water (CAS# 7732-18-5), ethoxylated nonylphenol (CAS# 127087-87-0), and sodium dodecylbenzene sulfonate (CAS# 25155-30-0).

CALIFORNIA PROPOSITION 65 INFORMATION

This product does not contain any chemicals recognized by the state of California to cause cancer and/or birth defects or reproductive harm.

SCAQMD INFORMATION

Is there a photochemically reactive material present? No What is the % by volume of photochemically reactive material? 0 What is the VOC content? 100 g/l What is the vapor pressure of VOC's? <0.1 mm Hg @20°C. Record keeping requirements for applications listed



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

PENBLITZ[™] 200H PG

Page: 7 of 7 Date Prepared: September 23, 2019 SDS No.: 1765

under Rule 1171 may not apply

SECTION 16: OTHER INFORMATION

REVISION SUMMARY

Change in Section 1

HAZARD RATING SYSTEMS:

	HMIS	NFPA
HEALTH	1	1
FLAMMABILITY	0	0
REACTIVITY	0	0
	В	

SUPERSEDES ISSUE DATE April 1, 2015

KEY 4 = Severe 3 = Serious 2 = Moderate 1 = Slight 0 = Minimal

FOR ADDITIONAL PRODUCT INFORMATION, CONTACT YOUR SALES ENGINEER FOR ADDITIONAL HEALTH/SAFETY INFORMATION, CALL 201-567-3000

THE INFORMATION PRESENTED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE DEPENDABLE AND ACCURATE TO THE BEST OF PENETONE'S KNOWLEDGE. THE INFORMATION RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY ONESELF AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR HIS OWN PARTICULAR USE.