

Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

WINDOW JETKLEER®

Page: 1 of 6 Date Prepared: September 23, 2019 SDS No.: 1846

SECTION 1: IDENTIFICATION

Product name: WINDOW JETKLEER Recommended use: Window cleaner Physcial Description: Clear blue liquid with mild odor Generic Ingredients: Water, glycol ether, surfactant Manufacturer: Penetone Corporation 125 Kingsland Ave. Clifton, NJ 07014 800-631-1652 or 201-567-3000

Business Contact:

Customer Service 800-631-1652 x2602 or 2272 Product Safety 800-631-1652 x2211 or 2257

medical advice/attention.

Emergency Phone Numbers: PENE

PENETONE 201-567-3000 C

CHEMTREC 800-424-9300

to do. Continue rinsing. If eye irritation persists: Get

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

handling.

Health: Eye irritation: 2B	Physical: not classified
WARNING! Causes Eye Irritation.	
Precautions:	
<u>Prevention:</u> Wear protective gloves, clothing, eye protection, and face protection.	<u>Response:</u> If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Concentration Wt% (1)
Water	7732-18-5	>90
Propylene glycol methyl ether	107-98-2	1-10

(1) Exact percentages being withheld under trade secret provision of OHSA HCS 1910.1200(i)

SECTION 4: FIRST-AID MEASURES

Wash hands and exposed skin thoroughly after

General Description of Symptoms & First-Aid Measures

Most likely work-place exposure routes will be *skin contact* or *inhalation*. For *skin contact*, product is nonirritating and no effects should be observed. Although product is nonirritating by *Inhalation*, inhalation of aerosol droplets/mist might result in coughing or sneezing.

Eyes

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists or develops: Get medical advice or attention. Penetone recommends that after any eye exposure a physician be seen immediately.



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

WINDOW JETKLEER®

Page: 2 of 6 Date Prepared: September 23, 2019 SDS No.: 1846

Ingestion

If swallowed: Rinse mouth. Call a poison center, doctor, physician or other competent medical authority if you feel unwell.

Inhalation

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center, doctor, physician or other competent medical authority if you feel unwell.

Skin

If on skin: Wash with plenty of water or a mild soap. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.

Special Treatment / Other

None

SECTION 5: FIRE FIGHTING MEASURES

<u>Flammable Properties</u> Classification: Non-flammable Flash Point: None-to-boil Autoignition Temperature: not applicable Lower Flammable Limit: Not applicable Upper Flammable Limit: Not applicable

Specific Hazards

Product is water based and presents no unusual fire hazards.

Extinguishing Media

Suitable: SMALL FIRE: Use dry chemical, carbon dioxide (CO_2), water spray or regular foam. LARGE FIRE: water spray, water fog, or foam.

Unsuitable: None.

Protection & Precautions for Firefighters

Protective Equipment & Clothing: Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters protective clothing will only provide limited protection.

Fire Fighting Guidance: Cool containers with flooding quantities of water until well after fire is out. Move containers from fire area if you can do it safely. Dike fire control water for later disposal; do not scatter material. Containers can expand and explode under fire conditions due to vapor buildup. Always stay away from containers engulfed in fire.

Hazardous Combustion Products: Smoke, fumes, and oxides of NNNNN when taken to dryness.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Land Spill

Stop leak if you can do it safely. For large spills, dike and pump into properly labeled containers for reclamation or disposal. For small spill, soak up with absorbent material and place in properly labeled containers for disposal.

Water Spill

This is a water based product and will completely mix/dissolve in water making recovery difficult. Check with local environmental regulatory agencies for reporting requirements.

See SECTION 8 for EXPOSURE CONTROLS and PERSONAL PROTECTION.



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

WINDOW JETKLEER®

Page: 3 of 6 Date Prepared: September 23, 2019 SDS No.: 1846

SECTION 7: HANDLING & STORAGE

Handling

Avoid contact with eyes, skin and clothing. After handling, always wash hands thoroughly with soap and water. Avoid personal contact with any residue. Do not cut, weld, or reuse empty container.

Storage

Keep container tightly closed when not in use. Do not store near strong acids or bases. Do not store in direct sunlight. Avoid storing above 120°F (49°C).

SECTION 8: EXPOSURE CONTROLS and PERSONAL PROTECTION

Engineering Controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

Personal Protection

<u>Inhalation</u> A respiratory protection program that meets OSHA's 29 CFR 1910.134 or ANSI Z88.2 requirements must be followed whenever workplace conditions warrant respirator use. Use of an organic vapor mask or respirator is recommended.

<u>Skin</u> Wear chemical resistant gloves such as: rubber, nitrile, neoprene, or latex when skin contact is possible. Protective clothing including gloves, apron, sleeves, boots, head and face protection should be worn depending on how the product is used. PPE should be cleaned thoroughly after each use.

<u>Eyes</u> Penetone recommends always wearing safety glasses as a minimum in any workplace. Conditions may warrant the use of chemical goggles and possibly a face shield. Consult your standard operating procedure or safety professional for advice. Use protective eye and face devices that comply with ANSI Z87.1-1987.

Additional Remarks

Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.

Occupational Exposure Limits	
Component Name	

Source

Value

Notation

Type

No OELs have been established for any of the components

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

Appearance: clear blue liquid Odor: mild Odor Threshold: not determined pH: 9.0-9.5 Melting Point / Freezing: 32°F Boiling Point / Boiling Point Range: 212°F Flash Point: none to boil Evaporation Rate: equal to water Flammability: not applicable Lower Flammable Limit: not applicable Upper Flammable Limit: not applicable



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

WINDOW JETKLEER®

Page: 4 of 6 Date Prepared: September 23, 2019 SDS No.: 1846

Explosive Properties: not applicable Vapor Pressure: equal to water Relative Vapor Density: equal to water Relative Density: 1.00 Solubility (Water): soluble Partition Coefficient (K_{ow}): not determined Auto-ignition temperature: not applicable Decomposition temperature: not applicable Viscosity: equal to water Additional Physical and Chemical Properties:

SECTION 10: STABILITY & REACTIVITY

Reactivity

Product is not reactive, but if strong acids or bases are added, heat will be generated which could cause splattering.

Chemical Stability Stable.

Hazardous Reactions None.

Conditions to Avoid Do not store near strong acids or bases.

Incompatible Materials

Strong acids or bases.

Hazardous Decomposition Products

Oxides of carbon and nitrogen when taken to dryness and burned.

SECTION 11: TOXICOLOGICAL INFORMATION

Product Summary

Product is non-toxic and non-irritating to the skin and may cause minor irritation to the eyes.

Acute Toxicity:

Dermal: LD50 > 10,000 mg/kg rabbit (estimated using additivity formula). **Inhalation:** no data available **Oral:** LD50 > 10,000 mg/kg rat (estimated using additivity formula).

Skin Corrosion/Irritation

Non-irritating. Based upon component information.

Serious Eye Damage/Irritation

May cause minor eye irritation. Based upon component information.

Sensitization - Respiratory or Skin

Nonsensitizing based upon component information.

Germ Cell Mutagenicity

Not expected to cause germ cell mutations based upon component information.



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

WINDOW JETKLEER®

Page: 5 of 6 Date Prepared: September 23, 2019 SDS No.: 1846

Carcinogenicity

No material in this product is listed by IARC, NTP, or OSHA as a carcinogen.

Reproductive Toxicicty

Not expected to be a reproductive toxicant based upon component information.

Specific Target Organ Effects - Single Exposure No data.

Specific Target Organ Effects - Repeated or Prolonged Exposure No data.

Aspiration Hazard

Based upon components, product not expected to be an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

Product Summary

Non-toxic to fish. Estimated LC50/EC50 > 10,000 mg/l (using additivity formula)

Persistence and Degradability

Based upon component data, readily biodegradable.

Bioaccumulative Potential

Based upon component data, not expected to bioaccumulate.

Mobility in soil

Stays in water, does not adsorb onto soil.

Other Adverse Effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

Product is a nonhazardous waste under RCRA definitions. Dispose of contents/container in accordance with all applicable federal, state, and local regulations.

<u>Note:</u> Contaminated product, soil, water, container residues and spill cleanup materials may be hazardous wastes. Appropriate hazardous waste designation is the responsibility of the user.

SECTION 14: TRANSPORT INFORMATION

ID No.:	Not applicable, nonhazardous (nonregulated) material
Proper Shipping Name:	Not applicable
Hazard Class:	Not applicable
Packing Group:	Not applicable
Label:	None
Marine Pollutant:	Not applicable
RQ:	None
Special Precautions:	None



Penetone® Corporation, 125 Kingsland Ave., Clifton, NJ 07014

WINDOW JETKLEER®

Page: 6 of 6 Date Prepared: September 23, 2019 SDS No.: 1846

SECTION 15: REGULATORY INFORMATION

TSCA

The ingredients in this product are listed on the TSCA inventory.

RCRA HAZARD CLASS

Nonhazardous waste

SARA 311/312 REPORTABLE HAZARD CATEGORIES: Immediate (Acute) Health

REPORTING REQUIREMENTS (all quantities in pounds)

Component	CAS / 313 Code	Section 302 (EHS) TPQ	Section 304 EHS RQ	CERCLA RQ	Section 313	CAA 112(r) TQ	CWA / OPA
no component is subject to reporting requirements							

NEW JERSEY RIGHT-TO-KNOW INFORMATION

This product contains water (7732-18-5) and propylene glycol methyl ether (CAS 107-98-2).

CALIFORNIA PROPOSITION 65 INFORMATION

This product does not contain any chemicals recognized by the state of California to cause cancer and/or birth defects or reproductive harm.

SCAQMD INFORMATION

Is there a photochemically reactive material present? No What is the % by volume of photochemically reactive material? 0 What is the VOC content? 42 g/l What is the vapor pressure of VOC's? Less than 0.5 mm Hg @ 20°C

SECTION 16: OTHER INFORMATION

REVISION SUMMARY

Change in Section 1

HAZARD RATING SYSTEMS:

	HMIS	NFPA
HEALTH	1	1
FLAMMABILITY	0	0
REACTIVITY	0	0
	В	

SUPERSEDES ISSUE DATE March 15, 2015

KEY 4 = Severe 3 = Serious 2 = Moderate 1 = Slight 0 = Minimal

FOR ADDITIONAL PRODUCT INFORMATION, CONTACT YOUR SALES ENGINEER FOR ADDITIONAL HEALTH/SAFETY INFORMATION, CALL 201-567-3000

THE INFORMATION PRESENTED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE DEPENDABLE AND ACCURATE TO THE BEST OF PENETONE'S KNOWLEDGE. THE INFORMATION RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY ONESELF AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR HIS OWN PARTICULAR USE.