

OIL & GAS FLUID TREATMENT



PENETONE 7052M is a THPS-based bacterial control agent for oil and gas process systems. It provides persistent and long-term control over a broad spectrum of aerobes and anaerobes with particular effectiveness against sulphate-reducing bacteria.

PENETONE 7052M removes biofilms to allow for more effective control over sessile and planktonic bacterial colonies in produced and fresh water under a wide pH range and temperature conditions. It is miscible in all water types and chemically compatible with a variety of water treatment chemicals.

FEATURES AND BENEFITS

- Effective against a broad spectrum of bacteria including sulfate-reducing bacteria and provides long-term inhibition
- Miscible in all types of water
- Readily deactivated
- Excellent long-term chemical stability

DIRECTIONS FOR USE

Treatment rates

Treatment rates will vary depending on the application and presence of iron sulfides. Typical bacterial control treatments are achieved with 1,000 to 5,000 ppmv batch applications. A maintenance batch of 500 to 1,000 ppmv should be applied periodically depending on the severity of the bacterial problem, as indicated by growth media sampling and analysis.

For long-term pipeline protection and storage, growth media sampling and analysis is recommended to determine optimum dosage for inoculation over the expected storage period.

Residual concentrations can be deactivated with **PENETONE 7010M**

PENETONE 7052M

BACTERIAL CONTROL AGENT

PHYSICAL PROPERTIES

Appearance	Clear, yellow liquid
Odour	Characteristic
Specific Gravity @ 20°C	0.950-1.050
Viscosity	Not available
pH	6.0-7.0
Flash Point (TCC)	<37.8°C (<100°F)
Boiling Point	Not available
Freezing Point	< -40°C (< -40°F)
Autoignition temperature	Not available
Water Solubility	Complete

INCOMPATIBILITY

Acids, oxidizing agents

WAREHOUSING PRECAUTIONS

Keep containers tightly closed away from direct sunlight in a dry, cool and well-ventilated place, away from incompatible materials.

AVAILABLE SIZES

			
205L	1000L		

FIRST AID MEASURES

EYE CONTACT

Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

SKIN CONTACT

Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. If skin irritation or rash occurs, get medical advice/attention. Wash contaminated clothing before reuse.

INHALATION

If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

INGESTION

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

HEALTH

3

FLAMMABILITY

3

REACTIVITY

0

LEGEND

0 = MINIMAL RISK
1 = SLIGHT RISK
2 = MODERATE RISK
3 = SERIOUS RISK
4 = SEVERE RISK

PERSONAL PROTECTION

Security equipment



WHMIS



IMPORTANT: Before using PENETONE 7052M, always be sure to read and follow precautions and directions for use appearing on the product container label and on the safety data sheet (S.D.S).



CLIFTON

125 Kingsland Avenue
Clifton, New Jersey 07014
Tel.: 201-567-3000
Toll free : 1-800-631-1652

MONTREAL

10,900 rue Secant
Anjou, QC H1J 1S5
Tel.: 514-355-4660
Toll free : 1-800-361-8927

EDMONTON

11411-160 Street
Edmonton, Alberta T5M 3T7
Tel.: 780-454-3919
Toll free: 1-866-454-3919

United States

www.penetone.com

Canada

www.westpenetone.com