

Penetone® Corporation, 375 Murray Hill Parkway, East Rutherford, NJ 07073

PENBLITZ™ 200H

Page: 1 of 7

Date Prepared: October 21, 2024

SDS No.: 1121

# **SECTION 1: IDENTIFICATION**

Product name: PENBLITZ 200H

Recommended use: General purpose cleaner

Physcial Description: Clear green slightly viscous liquid with mild pine odor

Generic Ingredients: Water and surfactants, fragrance, dye

Manufacturer:Business Contact:Penetone CorporationCustomer Service375 Murray Hill Parkway800-631-1652 x2272East Rutherford, NJ 07073Product Safety800-631-1652 or 201-567-3000800-631-1652 x2257

Emergency Phone Numbers: PENETONE 201-567-3000 CHEMTREC 800-424-9300

# **SECTION 2: HAZARDS IDENTIFICATION**

#### **GHS CLASSIFICATION:**

Health:
Skin irritation: 2
Eye irritation: 2A

Physical:
not classified

#### WARNING!

Causes Skin Irritation.
Causes Serious Eye Irritation.



# **Precautionary Statements:**

## Prevention:

Wear protective gloves, clothing, eye protection, and face protection.

Wash hands and exposed skin thoroughly after handling.

## Response:

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

#### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Concentration Wt% (1)
Water	7732-18-5	80-95
Ethoxylated nonylphenol	127087-87-0	1-10
Sodium dodecylbenzenesulfonate	25155-30-0	1-10

(1) Exact percentages being withheld under trade secret provision of OHSA HCS 1910.1200(i)

## **SECTION 4: FIRST-AID MEASURES**

# **General Description of Symptoms & First-Aid Measures**

Most likely work-place exposure routes will be skin contact or inhalation.

For *skin contact*, typically no immediate effects will be observed. A slight tingling sensation might be felt some time after exposure. Slight reddening or minor irritation could also develop if product is not quickly washed off.



Penetone® Corporation, 375 Murray Hill Parkway, East Rutherford, NJ 07073

# PENBLITZ™ 200H

Page: 2 of 7

Date Prepared: October 21, 2024

SDS No.: 1121

*Inhalation* exposure may produce varied effects. Typical symptoms could include coughing, sneezing, and a tingling sensation in the nose, throat, and lungs.

#### **Eyes**

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists or develops: Get medical advice or attention. Penetone recommends that after any eye exposure a physician be seen immediately.

#### Ingestion

If swallowed: Rinse mouth. Call a poison center, doctor, physician or other competent medical authority if you feel unwell.

#### Inhalation

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center, doctor, physician or other competent medical authority if you feel unwell.

#### Skin

If on skin: Wash with plenty of water or a mild soap. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.

#### Special Treatment / Other

None

# **SECTION 5: FIRE FIGHTING MEASURES**

#### Flammable Properties

Classification: Non-flammable Flash Point: None-to-boil

**Autoignition Temperature:** Not applicable

Lower Flammable Limit: Not applicable Upper Flammable Limit: Not applicable

# Specific Hazards

Product is water based and presents no unusual fire hazards.

## Extinguishing Media

Use extinguishing agents appropriate for controlling surrounding fire.

Unsuitable: None.

## Protection & Precautions for Firefighters

**Protective Equipment & Clothing:** Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters protective clothing will only provide limited protection.

**Fire Fighting Guidance:** Cool containers with flooding quantities of water until well after fire is out. Move containers from fire area if you can do it safely. Dike fire control water for later disposal; do not scatter material. Containers can expand and explode under fire conditions due to vapor buildup. Always stay away from containers engulfed in fire.

Hazardous Combustion Products: Smoke, fumes, and oxides of carbon and sulfur when taken to dryness and burned.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **Land Spill**

Stop leak if you can do it safely. For large spills, dike and pump into properly labeled containers for reclamation or disposal. For small spill, soak up with absorbent material and place in properly labeled containers for disposal.



Penetone® Corporation, 375 Murray Hill Parkway, East Rutherford, NJ 07073

PENBLITZ™ 200H

Page: 3 of 7

Date Prepared: October 21, 2024

SDS No.: 1121

#### Water Spill

This is a water based product and will completely mix/dissolve in water making recovery difficult. Check with local environmental regulatory agencies for reporting requirements.

See SECTION 8 for EXPOSURE CONTROLS and PERSONAL PROTECTION.

#### **SECTION 7: HANDLING & STORAGE**

#### Handling

Avoid contact with eyes, skin and clothing. After handling, always wash hands thoroughly with soap and water. Avoid personal contact with any residue. Do not cut, weld, or reuse empty container.

#### **Storage**

Keep container tightly closed when not in use. Do not store near strong acids or bases. Do not store in direct sunlight. Avoid storing above 120°F (49°C).

#### SECTION 8: EXPOSURE CONTROLS and PERSONAL PROTECTION

## **Engineering Controls**

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.

#### **Personal Protection**

<u>Inhalation</u> A respiratory protection program that meets OSHA's 29 CFR 1910.134 or ANSI Z88.2 requirements must be followed whenever workplace conditions warrant respirator use. Use of a general purpose particulate mask or respirator with particulate filter is recommended.

<u>Skin</u> Wear chemical resistant gloves such as: rubber, nitrile, neoprene, or latex when skin contact is possible. Protective clothing including gloves, apron, sleeves, boots, head and face protection should be worn depending on how the product is used. PPE should be cleaned thoroughly after each use.

<u>Eyes</u> Penetone recommends always wearing safety glasses as a minimum in any workplace. Conditions may warrant the use of chemical goggles and possibly a face shield. Consult your standard operating procedure or safety professional for advice. Use protective eye and face devices that comply with ANSI Z87.1-1987.

## **Additional Remarks**

Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.

## **Occupational Exposure Limits**

<u>Component Name</u> <u>Source</u> <u>Value</u> <u>Type</u> <u>Notation</u>

No OELs have been established for any of the components

# **SECTION 9: PHYSICAL & CHEMICAL PROPERTIES**

Appearance: clear green slightly viscous liquid

Odor: mild pine

Odor Threshold: not determined

**pH:** 9.5 - 10

Melting Point / Freezing: about 32°F

Boiling Point / Boiling Point Range: about 212°F

Flash Point: none to boil



Penetone® Corporation, 375 Murray Hill Parkway, East Rutherford, NJ 07073

PENBLITZ™ 200H

Page: 4 of 7

Date Prepared: October 21, 2024

SDS No.: 1121

**Evaporation Rate:** equal to water **Flammability:** not applicable

Lower Flammable Limit: not applicable Upper Flammable Limit: not applicable Explosive Properties: not applicable Vapor Pressure: equal to water

Relative Vapor Density: not applicable

Relative Density: 1.02

Solubility (Water): water soluble

Partition Coefficient (K<sub>ow</sub>): not determined Auto-ignition temperature: not applicable Decomposition temperature: not determined

Viscosity: 150 to 300 centipoise at room temperature

# **SECTION 10: STABILITY & REACTIVITY**

#### Reactivity

Product is not reactive, but if strong acids or bases are added, heat will be generated which could cause splattering.

#### **Chemical Stability**

Stable.

## **Hazardous Reactions**

None.

# **Conditions to Avoid**

Do not store near strong acids or bases.

# **Incompatible Materials**

Strong acids or bases.

## **Hazardous Decomposition Products**

Oxides of carbon and sulfur when taken to dryness and burned.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### **Product Summary**

Based upon ingredient data, product is non-toxic by oral and dermal routes exposure. Based upon ingredient information, product is expected to cause skin irritation and to cause serious eye irritation.

## **Acute Toxicity:**

**Dermal:** >10,000 mg/kg rabbit (estimated from additivity formula)

Inhalation: no data available

Oral: > 8,000 mg/kg rat (estimated from additivity formula)

#### Skin Corrosion/Irritation

Causes skin irritation. Based upon component data.

#### Serious Eye Damage/Irritation

Causes serious eye irritation. Based upon component data.



Penetone® Corporation, 375 Murray Hill Parkway, East Rutherford, NJ 07073

# PENBLITZ™ 200H

Page: 5 of 7

Date Prepared: October 21, 2024

SDS No.: 1121

#### Sensitization - Respiratory or Skin

Not expected to be a skin or respiratory sensitizer. Based upon component data.

#### **Germ Cell Mutagenicity**

No data available. Not expected to be mutagenic based upon component information.

#### Carcinogenicity

Does not contain components considered carcinogenic.

#### **Developmental/Reproductive Toxicitty**

No data available. Not expected to be a developmental or reproductive toxin based upon partial component information and comparison to structurally similar compounds.

No effects were seen in male/female rats in a 2 generation reproductive toxicity study of the nonionic surfactant used in this product.

# **Specific Target Organ Effects - Single Exposure**

No data available.

#### Specific Target Organ Effects - Repeated or Prolonged Exposure

No data available.

The nonionic surfactant used in this product exhibited kidney and liver effects in lab animals at high feeding levels over extended periods of time.

# **Aspiration Hazard**

Based upon components, product not expected to be aspiration hazard 30-50.

#### SECTION 12: ECOLOGICAL INFORMATION

#### **Product Summary**

Product is expected to be toxic to fish and aquatic invertebrates. (Acute aquatic toxicity category 3 by European Union classification).

# **Ecotoxicity**

LC50/EC50 10-100 mg/l (estimated using additivity formula).

#### Persistence and Degradability

Product components considered biodegradable.

#### **Bioaccumulative Potential**

Product components not considered bioaccumulative

# Mobility in soil

No soil mobility data available.

## Other Adverse Effects

None known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Product is a nonhazardous waste under RCRA definitions. Dispose of contents/container in accordance with all applicable federal, state, and local regulations.

<u>Note:</u> Contaminated product, soil, water, container residues and spill cleanup materials may be hazardous wastes. Appropriate hazardous waste designation is the responsibility of the user.



Penetone® Corporation, 375 Murray Hill Parkway, East Rutherford, NJ 07073

PENBLITZ<sup>™</sup> 200H

Page: 6 of 7

Date Prepared: October 21, 2024

SDS No.: 1121

# **SECTION 14: TRANSPORT INFORMATION**

ID No.: None

Proper Shipping Name: Nonhazardous (nonregulated) material

Hazard Class: None
Label: None
Packing Group: None

Marine Pollutant: Not applicable

RQ: None Special Precautions: None

# **SECTION 15: REGULATORY INFORMATION**

#### **TSCA**

The ingredients in this product are listed on the TSCA inventory.

#### **RCRA HAZARD CLASS**

Nonhazardous waste

#### SARA 311/312 REPORTABLE HAZARD CATEGORIES: Immediate (Acute) Health

**REPORTING REQUIREMENTS** (all quantities in pounds)

Component	CAS / 313 Code	Section 302 (EHS) TPQ	Section 304 EHS RQ	CERCLA RQ	Section 313	CAA 112(r) TQ	CWA / OPA
no component is subject to reporting requirements							

#### **NEW JERSEY RIGHT-TO-KNOW INFORMATION**

This product contains water (CAS# 7732-18-5), ethoxylated nonylphenol (CAS# 127087-87-0), and sodium dodecylbenzene sulfonate (CAS# 25155-30-0).

#### **CALIFORNIA PROPOSITION 65 INFORMATION**

This product does not contain any chemicals recognized by the state of California to cause cancer and/or birth defects or reproductive harm.

## **SCAQMD INFORMATION**

Is there a photochemically reactive material present? No What is the % by volume of photochemically reactive material? 0 What is the VOC content? 0 What is the vapor pressure of VOC's? Not applicable

# SECTION 16: OTHER INFORMATION

## REVISION SUMMARY SUPERSEDES ISSUE DATE

Change in Header and Section 1 February 13, 2023

# **HAZARD RATING SYSTEMS:**

HIVIIS	NFPA	KEY
1	1	4 = Severe
0	0	3 = Serious
0	0	2 = Moderate
	1 0 0	1 1 0 0 0 0 0



Penetone® Corporation, 375 Murray Hill Parkway, East Rutherford, NJ 07073

PENBLITZ<sup>™</sup> 200H Page: 7 of 7

Date Prepared: October 21, 2024

SDS No.: 1121

1 = Slight 0 = Minimal

FOR ADDITIONAL PRODUCT INFORMATION, CONTACT YOUR SALES ENGINEER FOR ADDITIONAL HEALTH/SAFETY INFORMATION, CALL 201-567-3000

В

THE INFORMATION PRESENTED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE DEPENDABLE AND ACCURATE TO THE BEST OF PENETONE'S KNOWLEDGE. THE INFORMATION RELATES TO THIS SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY ONESELF AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR HIS OWN PARTICULAR USE.