

1. IDENTIFICATION

Product Identifier

Product Name PENETONE 7050M
Chemical Name Bacterial control agent

Recommended use of the chemical and restrictions on use

Recommended use Bacterial control applications
Restrictions on use For industrial use only

Supplier details

West Penetone Inc.
11411-160 Street
Edmonton, AB,
T5M3T7
Tel: 780-454-3919

Emergency Telephone Number

Canutec (613)-996-6666 or 1-888-226-8832 – FOR 24 HOUR TRANSPORT EMERGENCY WITHIN CANADA
Chemtrec 1-800-424-9300 – FOR 24 HOUR TRANSPORT EMERGENCY WITHIN USA

2. HAZARDS IDENTIFICATION

Classification

Flammable liquids	Category 3
Acute toxicity, oral	Category 3
Acute toxicity, dermal	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Sensitization – respiratory	Category 1B
Sensitization - skin	Category 1B
Specific target organ toxicity – single exposure	Category 1
Specific target organ toxicity – single exposure	Category 3
Specific target organ toxicity – repeated exposure	Category 2

Label Elements

DANGER

Hazard Statements

Flammable liquid and vapor
Toxic if swallowed or in contact with skin
Causes skin irritation
Causes serious eye damage
May cause allergy or asthma symptoms or breathing difficulties if inhaled
May cause an allergic skin reaction
Causes damage to organs <liver, nervous system>
May cause respiratory irritation
May cause damage to organs through prolonged or repeated exposure <central nervous system (CNS), kidneys, nervous system, skin>



Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/lighting/ventilation equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 Wash face, hands, and any exposed skin thoroughly after handling.
 Do not eat, drink, or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Contaminated work clothing should not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
 If exposed or concerned: Get medical advice/attention.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
methanol	67-56-1	15-40
glutaraldehyde	111-30-8	5-10
propan-2-ol	67-63-0	5-10

4. FIRST AID MEASURES

Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. If skin irritation or rash occurs, get medical advice/attention. Wash contaminated clothing before reuse.
Inhalation	If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause serious damage leading to discomfort or pain, excess blinking and tear production with marked excess redness and swelling of the conjunctiva or corneal damage. Contact with skin may cause irritation with local redness. Exposure may aggravate previous medical skin conditions. Exposure may cause an allergic skin reaction with prolonged or repeated exposure. Inhalation of mist/vapors/spray may cause irritation of the mucous membranes and upper respiratory tract leading to a burning sensation of the nose and throat, coughing, and difficulty breathing. Serious effects may be delayed following exposure including respiratory sensitization. Ingestion may be fatal and cause blindness. Exposure may cause irritation or a burning sensation of the mouth and throat and abdominal pain. Product contains materials which cause damage to the nervous system (CNS), liver, kidneys, gastrointestinal tract, upper respiratory tract, skin, eyes, lens, or cornea. See Section 2 for possible delayed effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon and other irritating gases.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe vapor or mist. Wear appropriate respirator when ventilation is inadequate. Put on personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush the area with water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling

Avoid contact and inhalation of mist/vapors/spray. Avoid contact with skin, eyes, and clothing. Ensure thorough ventilation of work areas. Use recommended personal protective equipment. Smoking, eating and drinking should be prohibited in the application area.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed away from direct sunlight in a dry, cool, and well-ventilated place, away from incompatible materials.

Incompatible Materials

Acids, oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
methanol 67-56-1	TWA: 200 ppm STEL: 250 ppm	TWA: 200 ppm/260 mg/m ³ STEL: 250 ppm/325 mg/m ³	TWA: 200 ppm/260 mg/m ³ STEL: 250 ppm/325 mg/m ³
glutaraldehyde 111-30-8	TWA : 0.05 ppm	0.2 ppm/0.8 mg/m ³	not listed
propan-2-ol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm/980 mg/m ³ STEL: 500 ppm/1225 mg/m ³	not listed

Appropriate engineering controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas. Eyewash facilities and emergency shower must be made available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face Protection

Safety glasses with side shields or goggles and/or face-shield.

Skin and body protection	Wear protective gloves and protective clothing.
Respiratory Protection	Wear respiratory protection if ventilation is inadequate. Respiratory protection in case of vapor/aerosol release.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Clear, yellow liquid	VAPOR PRESSURE, mm Hg AT 20°C (68°F) : Not available
ODOR : Alcohol	VAPOR DENSITY (Air = 1) : Not available
ODOR THRESHOLD : Not applicable	RELATIVE DENSITY AT 20°C (68°F) : 0.900-1.000
pH : 6.0-7.0	SOLUBILITY IN WATER : Complete
MELTING POINT / FREEZING POINT : ≤ -40°C (≤ -40°F)	PARTITION COEFFICIENT, N-OCTANOL/WATER : Not available
BOILING POINT/BOILING RANGE : Not available	AUTO-IGNITION TEMPERATURE : Not available
FLASH POINT : <37.8°C (<100°F) TCC	DECOMPOSITION TEMPERATURE : Not available
EVAPORATION RATE, water = 1 : <1	VISCOSITY : Not available
FLAMMABILITY (SOLID, GAS) : Not applicable	FLAMMABLE LIMITS : UPPER: Not available LOWER : Not available

10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Avoid extreme temperatures. Store away from incompatible materials.

Incompatible Materials

Strong oxidizing materials, acids.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition can lead to release of irritating gases and vapors such as oxides of carbon and other low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

ATE_{mix} – LD50 oral – approx. ≥280 mg/kg (rat), LD50 dermal – approx. ≥930 mg/kg (rat)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
methanol 67-56-1	100 mg/kg (rat)	300 mg/kg (rabbit)	5 mg/L (rat)
glutaraldehyde 111-30-8	77 mg/kg (rat)	>1000 mg/kg (rabbit)	0.28-0.39 mg/L (rat) – 4 h
propan-2-ol 67-63-0	5000 mg/kg (rat)	12800 mg/kg (rabbit)	45248 ppm (rat) – 1 h

Information on likely sources of exposure

Ingestion

May be harmful if swallowed. May cause stomach pains.

Skin corrosion/irritation

Causes skin irritation, redness, and possible sensitization.

Inhalation

May cause coughing, respiratory irritation or sensitization, and possible damage.

Serious eye damage/irritation Causes serious eye irritation. May cause pain, watering, and redness.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization	Glutaraldehyde (CAS 111-30-8)	Respiratory and skin sensitizer
Germ cell mutagenicity	No information available.	
Carcinogenicity	No listed carcinogens.	
Reproductive toxicity	No information available	
STOT - single exposure	Methanol (CAS 67-56-1)	1 Causes damage to eyes, central nervous system
	Glutaraldehyde (CAS 111-30-8)	3 May cause respiratory irritation
STOT - repeated exposure	Methanol (CAS 67-56-1)	1 Causes damage to eyes, central nervous system
Aspiration Hazard	None.	

Symptoms related to the physical, chemical and toxicological characteristics

Skin and eye irritation. Ingestion may cause irritation or burns of mouth, esophagus and stomach, abdominal pain, nausea, vomiting, diarrhea and affect the eyes, liver, and kidneys. Inhalation may cause irritation of nose, mouth, and upper respiratory tract, coughing, difficulty breathing, allergy response, as well as headaches dizziness or nausea at high concentrations.

12. ECOLOGICAL INFORMATION

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

Chemical Name	Fish	Waterflea	Algae
methanol 67-56-1	15400 mg/L: 96 h Lepomis macrochirus LC50	>10000 mg/L: 48 h Daphnia magna EC50	22000 mg/L: 96 h Scenedesmus capricornutum EC50
glutaraldehyde 111-30-8	Not available	Not available	Not available
propan-2-ol 67-63-0	4200 mg/L: 96 h Rasbora heteromorpha LC50	1400-1950 mg/L: 48 h Crangon crangon EC50	Not available

Persistence and degradability

Expected to be readily biodegradable.

Bioaccumulative potential

Accumulation in organisms is not to be expected.

Mobility in soil

No information available

Other adverse effects

Do not release untreated into natural waters. No other adverse environmental effects are expected.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

UN Number:	1992
UN Proper Shipping Name:	Flammable Liquid, Toxic, N.O.S. (methanol solution)
Transport Hazard Class(es)	
Class:	TDG: 3 (6.1) US DOT: 3 (6.1) IMDG: 3 (6.1)
Label(s):	3 (6.1)
Packing Group:	III
Marine Pollutant:	No
Special precautions for user:	None established
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not determined

15. REGULATORY INFORMATION

Canada (DSL/NDSL)

All ingredients contained in this product are in compliance with the Canadian Environmental Protection Act and are listed on the DSL or are exempt.

United States (TSCA)

All ingredients contained in this product are listed on the TSCA inventory or are exempt.

HMIS Information:

Health:	2
Flammability:	3
Reactivity:	0

16. OTHER INFORMATION

<u>Preparation Date</u>	7 May 2020
<u>Revision Date</u>	Not applicable
<u>Revision Note</u>	Not applicable

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS